INDEX TO VOLUME LIV

INDEX TO AUTHORS AND TITLES

Agnihotri, V. P. See Mehrotra and Agnihotri 400

Ajello, L., and W. P. Cockshott. Occurrence of Microsporum cookei in Africa 110

Anchel, Marjorie, William B. Silverman, Nalini Valanju, and Clark T. Rogerson. Patterns of polyacetylene production. I. The diatretynes 249

Backus, M. P. See Gochenaur and Backus 555; See Christensen and Backus 573

Banu, Zakia. See Srivastava et al. 5

Barksdale, Alma Whiffen. Concerning the species, Achyla bisexualis 704

Barnett, H. L. See Lilly et al. 235

——, **and V. G. Lilly.** A destructive mycoparasite, *Gliocladium roseum* 72

Batra, Lekh R., and Robert W. Lichtwardt. Red stain of Acer negundo 91

Baxter, John W. The status of the genus Haplopyxis (Uredinales) 437

Beneke, Everett S. See Bulmer and Beneke 34; See Bulmer et al. 621

Berliner, Martha D., and Peter B. Brand. Effects of monochromatic ultraviolet light on luminescence in Panus stipticus 415

Bigelow, Howard E., and Alexander H. Smith. Clitocybe species from the western United States 498

Bonar, Lee. Stegopezizella balsameae and Glocosporium balsameae 395

Borut, Shira Y., and T. W. Johnson, Jr. Some biological observations on fungi in estuarine sediments 181

Brand, Peter B. See Berliner and Brand 415

Brodie, Harold J. Twenty years of nidulariology 713

Bulmer, Glenn S., and Everett S. Beneke. Studies on Calvatia gigantea. II. Factors affecting basidiospore germination 34

——, ——, **and J. A. Stevens.** Studies on Calvatia gigantea. III. Antitumor substances produced by mycelium from germinated spores and parent basidiocarps 621

Butler, E. E., and J. W. Eckert. A sensitive method for the isolation of Geotrichum candidum from soil 106

Cain, R. F. See Reid and Cain 194; 481

Carmichael, J. W. Viability of mold cultures stored at −20° C 432

Casida, L. E., Jr. See Santoro and Casida 70

Chandrasekaran, S. See Rangaswami and Chandrasekaran 331

Christensen, Martha, and M. P. Backus. A new Penicillium from coniferous forest soils 573

——, **W. F. Whittingham, and R. O. Novak.** The soil microfungi of wet-mesic forests in southern Wisconsin 374

Cockshott, W. P. See Ajello and Cockshott 110

Collins, R. P., and R. D. Hackbarth. The vitamin requirements of two additional varieties of Gelasinospora 299

Creager, Don B. A new Cercospora on Rhizophora mangle 536

INDEX TO VOLUME LIV

INDEX TO AUTHORS AND TITLES

Agnihotri, V. P. See Mehrotra and Agnihotri 400

Ajello, L., and W. P. Cockshott. Occurrence of Microsporum cookei in Africa 110

Anchel, Marjorie, William B. Silverman, Nalini Valanju, and Clark T. Rogerson. Patterns of polyacetylene production. I. The diatretynes 249

Backus, M. P. See Gochenaur and Backus 555; See Christensen and Backus 573

Banu, Zakia. See Srivastava et al. 5

Barksdale, Alma Whiffen. Concerning the species, Achyla bisexualis 704

Barnett, H. L. See Lilly et al. 235

——, **and V. G. Lilly.** A destructive mycoparasite, *Gliocladium roseum* 72

Batra, Lekh R., and Robert W. Lichtwardt. Red stain of Acer negundo 91

Baxter, John W. The status of the genus Haplopyxis (Uredinales) 437

Beneke, Everett S. See Bulmer and Beneke 34; See Bulmer et al. 621

Berliner, Martha D., and Peter B. Brand. Effects of monochromatic ultraviolet light on luminescence in Panus stipticus 415

Bigelow, Howard E., and Alexander H. Smith. Clitocybe species from the western United States 498

Bonar, Lee. Stegopezizella balsameae and Glocosporium balsameae 395

Borut, Shira Y., and T. W. Johnson, Jr. Some biological observations on fungi in estuarine sediments 181

Brand, Peter B. See Berliner and Brand 415

Brodie, Harold J. Twenty years of nidulariology 713

Bulmer, Glenn S., and Everett S. Beneke. Studies on Calvatia gigantea. II. Factors affecting basidiospore germination 34

——, ——, **and J. A. Stevens.** Studies on Calvatia gigantea. III. Antitumor substances produced by mycelium from germinated spores and parent basidiocarps 621

Butler, E. E., and J. W. Eckert. A sensitive method for the isolation of Geotrichum candidum from soil 106

Cain, R. F. See Reid and Cain 194; 481

Carmichael, J. W. Viability of mold cultures stored at −20° C 432

Casida, L. E., Jr. See Santoro and Casida 70

Chandrasekaran, S. See Rangaswami and Chandrasekaran 331

Christensen, Martha, and M. P. Backus. A new Penicillium from coniferous forest soils 573

——, **W. F. Whittingham, and R. O. Novak.** The soil microfungi of wet-mesic forests in southern Wisconsin 374

Cockshott, W. P. See Ajello and Cockshott 110

Collins, R. P., and R. D. Hackbarth. The vitamin requirements of two additional varieties of Gelasinospora 299

Creager, Don B. A new Cercospora on Rhizophora mangle 536

Cridland, Arthur A. The fungi in cordaitean rootlets 230
Dulaney, Eugene L., and Reed A. Gray. Penicillia that make N-formyl hydroxyaminoacetic acid, a new fungal product 476
Eckert, J. W. See Butler and Eckert 106
Embree, Robert W. A new species in the genus Chaetocladium 305
Emmons, C. W. Deaths from ingestion of mushrooms 115
Farr, Marie L. Arcyria cinerea and A. pomiformis revised 516
Fergus, Charles L. Glomosporium leptideum found in North America 322; See Mayberry et al. 580
Fidalgo, Maria Eneyda Pacheco Kauffman. See Fidalgo and Fidalgo 342
Fidalgo, Oswaldo, and M. E. P. K. Fidalgo. A new genus based on Fistulina brasiliensis 342
Fuller, M. S. See Reisert and Fuller 647
Gilbertson, Robert L. Index to species and varieties of fungi described by C. H. Peck from 1909 to 1915 460
——. Resupinate hydnaceous fungi of North America. I. Type studies of species described by Peck 658
Glesne, Lillian. See Jellison et al. 466
Gochenaur, S. E., and M. P. Backus. A new species of Neurospora from Wisconsin lowland soil 555
Goos, Roger D., and Marylou Tschirsch. Effect of environmental factors on spore survival, and growth of Gloeosporium musarum 353
Gottlieb, David. See Ramachandran and Gottlieb 578
Govindarajan, V. S. See Srivastava et al. 5
Gray, Reed A. See Dulaney and Gray 476
Groves, J. Walton. Phlebopus lignicola in North America 319
Haasis, Frank A. See Hodges and Haasis 448
Hackbarth, R. D. See Collins and Hackbarth 299
Hardison, John R. Susceptibility of Gramineae to Gloeotinia temulenta 201
Hine, Richard B. Effect of streptomycin and pimaricin on growth and respiration of Pythium species 640
Hodges, Charles S. Comparison of four similar fungi from junipers and related conifers 62
——. Fungi isolated from southern forest tree nursery soils 221
——, **and Frank A. Haasis.** Etiology of Cercospora leaf spot of Magnolia 448
Hutchison, James A. Studies on a new Entomophthora attacking calyptrate flies 258
Isaacs, B. F. See Stuntz and Isaacs 272
Jellison, William L., Lillian Glesne, and Cora Owen. The passive cutaneous anaphylaxis (PCA) test in adiaspiromycosis 466
Jenkins, Anna E., and Alice J. Watson. A new species of Elsinoë on Rhynchosia in Panama 582
Johnson, T. W., Jr. See Borut and Johnson 181
Knight, S. G. See Kornfeld and Knight 407; See Schleg and Knight 317
Korf, Richard P. A synopsis of the Hemiphacidiaceae, a family of the Helotiales (Discomycetes) causing needle-blights of conifers 12
Kornfeld, Joseph M., and S. G. Knight. Induction of xylose reductase in germinating spores of Penicillium chrysogenum 407
Kramer, C. L. See Pady et al. 168

Krause, R. F. See Lilly et al. 235
Kuehn, Harold H., and G. F. Orr. A new genus of Gymnoascaceae 160
Lichtwardt, Robert W. An Arundinula (Trichomycetes, Eccrinales) in a crayfish 440; See Batra and Lichtwardt 91
Lilly, Virgil Greene. See Barnett and Lilly 72
——, **H. L. Barnett, and R. F. Krause.** Effects of the alkali metal chlorides on spore germination, growth, and carotenogenesis of Phycomyces blakesleeanus 235
Lodhi, S. A., and F. Mirza. A new genus of the Eurotiales 217
McDonald, James C., and John E. Peterson. Liquid culture of two members of the higher fruiting myxobacteria 368
McManus, Mary Annunciata. Some observations on plasmodia of the Trichiales 78
Mallette, M. F. See Mayberry et al. 580
Mayberry, Judith M., C. L. Fergus, and M. F. Mallette. Pure culture of the slime mold Physarum gyrosum 580
Mehrotra, B. S., and V. P. Agnihotri. Two new species of Aspergillus from India 400
Meyers, Samuel P. See Sguros et al. 521
Miller, Charles E. A new species of Petersenia parasitic on Pythium 422
Mirza, F. See Lodhi and Mirza 217
Moore, Elizabeth J. The ontogeny of the sclerotia of Pyronema domesticum 312
Novak, R. O. See Christensen et al. 374
Orr, G. F. See Kuehn and Orr 160
Owen, Cora. See Jellison et al. 466
Pady, S. M., C. L. Kramer, and B. J. Wiley. Kansas aeromycology XII: Materials, methods, and general results of diurnal studies 1959–1960 168
Paterson, R. A. Lacustrine chytridiaceous fungi from Maryland 694
Peters, Harriet A. A new species of Elasmomyces 111
Petersen, Ronald H. Anguillospora filiformis Greathead 584
——. Aquatic Hyphomycetes from North America. I. Aleuriosporae (Part I), and key to the genera 117
Peterson, John E. See McDonald and Peterson 368
Peterson, Roger S. Notes on western rust fungi. II. Pucciniaceae 389; III. Cronartium 678
Ramachandran, S., and David Gottlieb. Two techniques for preparing cell-free extracts from Saccharomyces cereviseae that aerobically oxidize glucose and other substrates 578
Rangaswami, G., and S. Chandrasekaran. Cercospora species on cucurbitaceous hosts in south India. II. Physiology and pathogenicity of four isolates 331
Reid, Derek A. See Smith and Reid 98
Reid, James, and R. F. Cain. Studies on the organisms associated with "snow-blight" of conifers in North America. I. A new genus of the Helotiales 194; II. Some species of the genera Phacidium, Lophophacidium, Sarcotrichila, and Hemiphacidium 481
Reisert, Patricia Sullivan, and M. S. Fuller. Decomposition of chitin by Chytriomyces species 647
Rogerson, Clark T. See Anchel et al. 249
Safeeulla, K. K. See Shaw and Safeeulla 309

Santoro, Thomas, and L. E. Casida, Jr. Growth inhibition of mycorrhizal fungi by gibberellin 70
Savile, D. B. O. Septoria streptopodis and Cercospora streptopi 321
——. Tilletia controversa 109
Schleg, Marilyn Crandell, and S. G. Knight. The hydroxylation of progesterone by conidia from Aspergillus ochraceus 317
Sguros, Peter L., Samuel P. Meyers, and Jacqueline Simms. Role of marine fungi in the biochemistry of the oceans. I. Establishment of quantitative technique for cultivation, growth measurement and production of inocula 521
Shaffer, Robert L. Synonyms, new combinations, and new species in Volvariella (Agaricales) 563
Shaw, Charles Gardner, and K. M. Safeeulla. A new species of Plasmopara on Crusea cruciata 309
Silverman, William B. See Anchel et al. 249
Simms, Jacqueline. See Sguros et al. 521
Slifkin, Miriam K. A new method for the purification and preservation of Oidiopsis incrassata 105
Smith, Alexander H. Notes on astrogastraceous fungi 626; See Bigelow and Smith 498
——, **and Derek A. Reid.** A new genus of the Secotiaceae 98
Sprague, Roderick. Some leafspot fungi on western Gramineae. XV 44; XVI 593
Srinivasan, M. C., and M. J. Thirumalachar. Studies on species of Conidiobolus from India—III 685
Srivastava, H. C., Zakia Banu, and V. S. Govindarajan. Fruit rot of arecanut caused by a new fungus 5
Stevens, J. A. See Bulmer et al. 621
Stuntz, D. E., and B. F. Isaacs. Pacific northwestern fungi. I 272
Thirumalachar, M. J. See Srinivasan and Thirumalachar 685
Tschirsch, Marylou. See Goos and Tschirsch 353
Umphlett, Clyde J. Morphological and cytological observations on the mycelium of Coelomomyces 540
Valanju, Nalini. See Anchel et al. 249
Watson, Alice J. See Jenkins and Watson 582
Weitzman, Irene. Studies on the nutrition of Acrasis rosea 113
Whiteside, W. C. Morphological studies in the Chaetomiaceae. II 152; III 611
Whittingham, W. F. See Christensen et al. 374
Wiley, B. J. See Pady et al. 168

INDEX TO BIOGRAPHIES, REVIEWS, AND NOTICES

Ainsworth, G. C., and P. H. A. Sneath. Microbial classification; review 328
Cheldelin, Vernon H. Metabolic pathways in microorganisms; review 727
Corrections 729
Gregory, P. H. The microbiology of the atmosphere; review 456
Groves, J. Walton. Henry A. C. Jackson: biography 1
Kleijn, H. Mushrooms and other fungi, their form and colour; review 455
Miller, Julian H. A monograph of the world species of Hypoxylon; review 327
Notices 578

Rickia: review 727
Savile, D. B. O. Collection and care of botanical specimens; review 728
Shaw, C. Gardner. Roderick Sprague, 1901–1962; biography 587
Shurtleff, Malcolm C. How to control plant diseases in home and garden; review 729
Sparrow, F. K. Victor Macomber Cutter, Jr.; biography 457
Wehmeyer, Lewis E. A world monograph of the genus Pleospora and its segregates; review 325

INDEX TO TAXA

New taxa and the pages where they are published are in **bold-face type**. An attempt has been made to correct mistakes in the spelling of scientific names where mistakes occur in the text. [**Note:** The names of taxa in the index on pages 460–465 are omitted.]

Absidia butleri 224, 380; cylindrospora 380, 382; glauca 380–384; orchidis 380; spinosa 224, 380
Achyla 422, 425; ambisexualis 705, 708, 710; bisexualis 704–711; flexuosa 704, 708, 710; heteromorpha 704, 710; regularis 710
Acrasis rosea 113–115
Acremoniella **alascensis 595**; verrucosa 186
Acrostalagmus albus 186
Acrotheca 186
Actinospora 119, 134; megalospora 123, 134
Agaricus chlorocyaneus 510; cnemidophorus 565; microchlamidus 567; rusticus 511; smaragdinus 510; suaveolens 511
Alatospora 120
Aleurodiscus ochraceo-flavus 348
Allomyces 551
Alternaria 168–179; humicola 186, 190; tenuis 186, 224
Amanita brunnescens 116; caesaria 70; muscaria 70; phalloides 116; pusilla 564; rubescens 70
Ancylistes 259
Anguillospora 118, 124; crassa 121, 125, 128, 584; filiformis 584; flagellifera 128; gigantea 121, 125–128, 584; longissima 118, 121–127, 140, 584; pseudolongissima 121, 127–131, 584
Ansatospora 128; acerina 129; macrospora 129
Aphanomyces 650
Arachniotus 166; aureus 166; terrestris 185
Arcangeliella australiensis 632; maliensis 636
Archangium gephyra 369–372; primigenium 369–372
Arcyria cinerea 89, 516–519; pomiformis 516–519
Armillaria mellea 415, 420
Arthroderma 165
Articulospora 119, 143; angulata f. **angulata** 139, **144**; f. **tetracladia** 142–**144**; inflata 123, 143, 145; moniliforma 123, 143; tetracladia 123, 143, 145
Arundinella 441
Arundinula 440–446; capitata 441, 445; incurvata 441, 445; **orconectis 440**–446; porcellanae 441, 445
Ascochyta brachypodii 49; desmazieri 51; hordei 602, 607; f. **skagwayensis 595**; sorghi 49, 51, 59, 596; subalpina 50; utahensis 49, 596
Ascotricha 152, 158, 617; chartarum 153; guamensis 153, 158; pusillum 159
Aspergillus 169, 177, 223, 384, 400–406, 434; **allahabadii 400**–403; candidus 224; carneus 224, 403; flavipes 224, 380; flavus 185, 223; fumigatus 185, 190, 223, 380; **indicus 403**–406; janus 224, 403; luchuensis 380; lutescens 406; niger 185, 224, 380; niveus 403; ochraceus 317–319; ornatus 380; rugulosus 224; sulphureus 224; sydowi 185, 224; tamarii 185, 406; terreus 224, 403; var. americana 185; var. floccosus 185; unguis 185, 224; ustus 185, 224; versicolor 185, 224, 403; wentii 185, 188–191
Asterodon ferruginosus 670

Bactrodesmium 186
Basidioblous 259; haptosporus 691; meristosporus 691; ranarum 259
Beauveria bassiana 380, 382, 385
Bipolaris 47; brixae 48; **cyclops 58**; rostrata 47

Bisporomyces 380, 385
Blastomyces dermatitidis 471
Boletus bicolor 70; edulis 275, 621; granulatus 70; lignicola 319; luteus 70, 279; olivaceobrunneus 272–275, 282; piperatus 274, 283; scaber 70; subluteus 276–279, 284; sulphureus 319; f. silvestris 320; tulipiferae 668
Boothiella 217; **tetraspora 217–219**
Botrytis 380; uredinicola 56

Calcarisporium 224
Caldiesiella viridis 675
Calloria fusarioides 26
Calonectria graminicola 56
Calvatia gigantea 34–43, 621–624
Campylospora 119
Candida albicans 472; stellatoides 472
Cantherellula intermedia 508
Casaresia 119
Catenaria allomycis 551
Cenococcum graniforme 70
Centrospora 118, 128, 131; acerina 128, 584; **angulata 125–129–131**, 584; bromi 128, 585; **filiformis 584**; ohlsenii 129
Cephalosporium 224, 380; acremonium 186, 224
Cerasterias raphidioides 140; var. incrassata 140, 143; var. inequale 140
Ceratiomyxa 78
Ceratocystis 618; fagacearum 72; fimbriata 73–75
Cercospora 171–175, 179, 331–341, 448–454, 536–539; acerina 128; cari 128; chidambarensis 332–338; citrullina 332–339; var. trichosanthei-anguinae 332–339; glauca 452; juniperina 66; liriodendri 452; macrospora 128; madrasensis 332–338; magnoliae 448–453; praegrandis 129; **rhizophorae 536–539**; sequoiae 62–68; var. juniperi 62–68; streptopi 321; thujina 62–64
Cercosporella 322; acerina 128
Chaetocladium 305–308; **benjaminii 305–308**; brefeldii 305, 308; hesseltinii 308; jonesii 308
Chaetomella raphigera 224
Chaetomidium 152, 158, 617; fimeti 152–159
Chaetomium 152–159, 224, 434, 611, 617; subg. Chaetomidium 152; subg. Euchaetomium 152; globosum 155–158, 185, 224, 420, 619; indicum 224; olivaceum 224; seminudum 224, 380; spirale 224, 228
Chloridium apiculatum 224
Chondrococcus columnaris 369
Chytridium 650, 655; lagenaria 701; **marylandicum 696, 697–702**; olla 650
Chytriomyces 647–656
Cionothrix 678
Circinella rigida 185
Cirrenalia macrocephala 186
Cladosporium 168–178; herbarum 186, 225, 380–384
Clasterosporium glomerulosum 67
Clastoderma debaryanum 78
Clavariopsis 119, 131
Claviceps purpurea 57, 606
Clitocybe 249–256, 498–515; sect. Candicantes 501; sect. Disciformes 501, 505, 508; sect. Disciformes subsect. Inornatinae 514; sect. Infundibuliformes 501; **albirhiza 498–501**; alexandri 501–508; avellanea 514; avellaneialba 514; cerussata 253; chudacae 514; compressipes 509; **crassa 503–508**; dealbata 256; diatreta 250, 253; felleoides 509; fragrans 253, 513; gallinacea 253; gilvaoides var. gilvaoides 506; var. **gracilis 506**; harperi 501, 507; highlandensis 508; hudsoniana 510; icmadophila 511; inornata 514; intermedia 508; inversa 253; lata 514; **luteicolor 509**; mexicana 514; nebularis 253, 505, 508; odora 256; piperata 508; postii 510; pyxidata 511; rivulosa 253, 501; robusta 253; **rustica 511**; **smaragdina 510**; suaveolens 511–514; umbellifera 511; umbilicata 254; **umbrinipes 514**; vermicularis 256, 501
Coccidioides immitis 471
Coccodothis 20; sphaeroidea 25
Coelomomyces 540–553; anophelesica 552; dodgei 541–553; indiana 552; notonectae 540, 545, 553; pentangulatus 541–553; stegomyiae 540, 545, 553
Coemansia 305
Colletotrichum aquatilis 57, 603; graminicola 52, 57, 603; musae 353
Collybia conigena 256; radicata var. furfuracea 621
Completoria 259
Conidiobolus 259, 685–692; brefeldianus 691; globuliferus 685–687, 690; heterosporus 688–690; humicolous 691; incongruus 690; inordinatus 687; **khandalensis 688, 691, 692**; lamprauges 690; nanodes 691; paulus 691; stromoideus 691; thromboides 691; villosus 259
Coniophora olivascens 675
Coniothyrium 186, 380; fuckelii 186, 225
Coolia odorata 274, 279, 281, 286
Corticium sect. Humicola 665; fastidiosum 665; quaesitum 660; sulphureum 674
Cortinarius 102

Coryneopsis microsticta 186
Coryneum juniperinum 67
Cribbea 98; **gloriosa** 98, **99–102**; **lamellata 101**; **reticulata** 101, **103**
Cristella fastidiosa 665; sulphurea 674
Cronartium 678–683; asclepiadeum var. quercium 681; bresadoleanum 679; cerebrum 681; coleosporioides 678, 683; commandrae 680; comptoniae 681; conigenum 679–683; flaccidum 679; gilgianum 679; malloti 679; quercuum 680–683
Crossopsora 678; malloti 679
Crucibulum 716–719; vulgare 715, 717, 724
Cryptococcus neoformans 472
Culcitalna achraspora 186, 522, 525, 528, 533
Culicidospora 119
Cunninghamella bertholetiae 185, 190; blakesleeana 185, 189; echinulata 225; elegans 225
Curvularia 168, 186; geniculata 60, 186, 225; intermedia 225, 228; lunata 186, 190, 225; maculans 225; pallescens 186, 189
Cyathus 713–726; berkeleyanus 721, 725; canna 721; earlei 722; gayanus 722; lesureurii 721; limbatus 720–722; microsporus 721; minor 721; montagnei 720–722; olla 715, 719, 724; pallidus 714, 721; poeppigii 720–722; rufipes 721; stercoreus 714, 718–723; striatus 715–725; triplex 721
Cylindrocarpon didymum 380; radicicola 380
Cyphella villosa 348
Cystangium 633; depauperatum 633; **rodwayi 633**; sessile 633, 638

Dactylella 118–122; aquatica 122; microaquatica 120, 122
Dactylium 120
Dangeardia 694–697; laevis 697; mammillata 697; ovata 697
Darluca filum 602, 604, 608
Dasyscyphus 25
Deflexula 675
Delacroixia 259
Dematium scabridum 186
Dendrospora 119, 145; erecta 123, 145
Dialonectria galligena 185
Dicoccum asperum 186
Dictyosporium elegans 186
Didymascella 13, 19–23, 28; chamaecyparissi 23, 29; oxycedri 20, 28; tetraspora 23, 28; thujina 23, 28
Didymascus 24; kitmanoffii 24
Didymopsis 120
Didymostilbe 186
Dilophospora alopecuri 56
Diplocarpon 14
Diplodia 168
Drechslera avenacea 48; bromi 48; catenaria 48; tritici-repentis 48; tuberosa 50; vagans 599
Drosophila 252; appendiculata 256; sarcocephala 253

Echinostelium minutum 78
Elasmomyces 111–113, 631, 637; **lamingtonensis 637**; malaiensis 638; roseipes 113; russuloides 113; **stipitatus 112**; **texta 638**
Elsinoë 582–584; **rhynchosiae 582–584**
Emericellopsis minima 185
Emmonsia 466, 468, 474; crescens 466–474; parva 466, 474
Empusa 259, 261, 264
Endocoenobium eudorinae 700
Enterobryus 441, 445; halophilus 445
Enteromyces 445; callianassae 446
Entomophthora 258–271; grylli 264; **kansana** 258–**263**–268; pseudococci 263; sphaerosperma 263
Epicoccum 168; nigrum 225
Erysiphe graminis 59, 606
Exosporium 66; betheli 67; deflectens 64; glomerulosum 62, 67; juniperinum 67

Fabraea 14, 21, 30, 199; dehnii 200
Fabrella 20–23; tsugae 21; subsp. **grandispora** 23, **28**; subsp. **tsugae** 23, **28**
Fayodia 99
Fistulina brasiliensis 342–351; firma 344; hepatica 344; pallida 342–345; radicata 342–345; rosea 342, 345; spathulata 344
Flagellospora 120
Flammula viridans 283
Fluminispora 118, 122; ovalis 122
Fuligo septica 86, 88
Fusarium 56, 171–174, 186, 380, 384, 589; acuminatum 607; avenaceum 52, 598, 604, 608; culmorum 60; elongatum 124; equiseti 607; longissimum 124; moniliforme 225; negundi 91, 94; negundo 96; nivale 56–59, 603–609; oxysporum 223, 225; f. cubense 642; f. niveum 642; reticulatum var. negundinis 91–97; solani 225; tricinctum 225
Fusidium 380; terricola 225

Gautieria graveolens 630
Gelasinospora 299–304, 434; adjuncta 304; autosteira 304; calospora var. calospora 299–304; var. autosteira 299–304
Geotrichum 380, 434; candidum 106–109, 186, 225

Gibberella fujikuroi 70
Gliocephalotrichum 380
Gliocladium catenulatum 223, 225; deliquescens 225, 380; fimbriatum 186–191, 225; flavo-fuscum 225; roseum 72–77, 186, 225, 378–384; vermoesoni 186; virens 225
Gliomastix convoluta 380
Gloeosporium balsameae 16, 395–399; fructigenum 365; musarum 353–366
Gloeotinia temulenta 201–215
Glomosporium leptideum 322–324
Gomphidius sect. Chroogomphus 637
Gonytrichum macrocladium 225, 228
Grandinia burtii 663; coriaria 664; farinacea 661; membranacea 665; rudis 669; sulphurella 673; virescens 675
Graphium bulbicola 186
Gremmenia 22, 24, **27**; **gigaspora** 22, 24, **27**
Gymnoascus 185; reesii 185; setosus 185
Gymnomyces 633, 635; compactus 634; pallidus 634; seminudus 633; **xanthosporus 635**
Gymnopilus aeruginosus 276, 281
Gymnosporangium 389; betheli 393; clavariforme 393; clavipes 392; kernianum 393; nelsoni 393; tubulatum 393
Gyrodon lignicola 320

Hadrotrichum lineare 45; phragmitis 44; **triseti 44**
Hansenula anomala 114
Haplopyxis 437–439; crotalariae 437
Haplosporella 380
Heliscus 120
Helotium 15
Helminthosporium 48, 168, 178; anomalum 225; cyclops 58; sativum 73–75
Helmisporium 66; nodulosum 186
Hemiphacidiaceae 26
Hemiphacidieae 26
Hemiphacidium 15, 21–**26**, 27, 481–496; **convexum** 24, **27**, 495; **planum** 21–**27**, 495
Hemitrichia serpula 78–90; vesparium 78–90
Hendersonia crastophila 53; culmicola 600; var. intermedia 600; var. minor 600
Hericeum 666
Heterosphaeria 25
Heterosporium 66; avenae 48, 50, 605
Higginsia 14
Histoplasma capsulatum 110, 471; duboisii 110
Hormodendrum 169; cladosporioides 186; pallidum 186; viride 186
Humicola 186; brevis 379–384; grisea 186; laevis 186
Hydnangium 626; australiensis 632; carneum 628; var. xanthosporium 635; compacta 626; hysterangioides 626, 628; majus 636; nigricans 628; radicatum 627; roseum 628; soderstroemii 628; stephansii 635; tasmanicum 627; tomentosum 631
Hydnochaete setigera 670
Hydnum arachnoideum 660; balsameum 663; carbonarium 664; combinans 664, 668; populinum 667; raduloides 667; rimulosum 664, 668; separans 659, 669; serratum 670; spathulatum 660; stipatum 664, 668; subcrinale 671; subfuscum 671; sulphurellum 673
Hygrophorus conicus 116; gliocyclus 276, 284–287
Hymenogaster 99, 627
Hypochnus 665; coriarius 669; fumosus 674
Hysteropezizella 14

Ingoldia 119, **147**; **craginiformis** 146, **147**
Irpex ambiguus 660; nodulosus 666; rimosus 668
Isaria epiphylla 186
Isariopsis clavispora 452; griseola 452; magnoliae 448–453

Jaculispora 119

Kabatiella 395; balsameae 395, 397
Keithia 13, 15, 20; juniperi 25; spirotricha 166; tetramicrospora 28; tetraspora 20
Kickxella 305

Laccaria 639
Lacrymaria 634
Lactarius pterosporus 637
Lacticorticium **sulphurellum 673**
Laetinaevia 26
Lambertella 17
Lemonniera 120; aquatica 131
Lepista alexandri 501; luscina 254; nuda 254; panaeola 255
Leptographium lundbergii 186
Leptosphaeria 168, 602; fuckelii 603; halima 185; microscopica 53; nigrans 602
Leptostroma camelliae 714
Leptotrichila 199; medicaginis 199
Locellina pygmaea 563
Lophophacidium 18–24, 33, 481–496; hyperboreum 21, 24, 30, 482–493
Lophotrichus 611–619; ampullus 611–619; martinii 611

Lunulospora 118, 122; curvula 121, 137
Lyophyllum ulmarius 225

Macagnia 639
Macowanites 113, 639
Macrocystidia cucumis 280, 285–289
Macrophoma sorghicola 55
Margaritispora 120
Martellia 630; albella 631, 633; **alveolata 630**, 633; **australiensis 632**; **berkeleyi 632**; brunnescens 631; foetens 632; soehneri 635; **tomentosa 631**
Masoniella grisea 225
Massospora 258; cicadina 261
Mastigosporium rubricosum 604
Maxillospora 140; maxilliformis 141
Melanospora 560
Memnoniella echinata 225
Metarrhizium ansopliae 225
Metasphaeria anarithma 594; anarithmoides 594; arenaria 594; avenae 594; brachypodii 594; **bromigena 593**; coccodes 594; culmifida 594; discolors 594; graminum 594; leersiae 594; moliniae 594; neglecta 594; poae 594; recutita 594
Microascus 618
Microsporum cookei 110; gypsium 110
Monilia 555, 561; humicola 186; sitophila 433
Monosporella 118, 120; **microaquatica 120–124**
Monotospora 225
Mortierella 305, 380, 384; bainieri 225; isabellina 225; ramanniana 226; subtilissima 185; vinacea 226
Mucor 107, 185, 226, 305; abundans 185; adventitus 185; attenuatus 380; fragilis 226; hiemalis 185, 380–385; jansseni 226; microsporus 185; subtilissimus 226
Mucronella 657; aggregata 666; minutissima 665; var. conferta 666; ulmi 673
Mycogone nigra var. minor 187
Mycosphaerella 321, 607; cinnafolia 53; personata 452; pusilla 607; tassiana 608; tulipiferae 452
Myrothecium roridum 226; verrucaria 187, 226, 380, 382
Myxococcus 368; virescens 369
Myxotrichum 160; conjugatum 164

Naemacyclus 18–24, 33, 488; alpinus 29; niveus 24, 29; pinastri 19
Naemosphaera rostellata 187
Naevia 25; piniperda 30, 491
Nannizzia 165
Nectria 226; gliocladioides 73
Neocosmospora vasinfecta 185, 226
Neonaumovia 21; tianschanica 21, 30, 486
Neurospora 434, 555–562; crassa 558–561; erythraea 560; sitophila 558, 561; **terricola** 556, **557–562**; tetrasperma 244, 558–561; toroi 560
Nidula 716, 719; emodensis 722; macrocarpa 723
Nidularia 716, 719, 721
Nigrospora 168; sphaerica 187, 226
Nocardia 434
Nothophacidium 194–200; **abietinellum 195–200**

Octaviania alveolata 630; archeri 639; australiensis 632; mutabilis 629; nigrescens 628; plena 639
Octavianina 628; asterosperma var. asterosperma 628; var. potteri 628; **brunnea 629**; nigrescens 630
Odontia acerina 659, 663; arguta 668; bicolor 663, 670; **burtii 663**; ciliolata 671; fimbriata 671; fusco-atra 664; rimosissima 663, 667; separans 669; setigera 659; spathulata 660; stipata 664, 668; **subcrinale 671–673**; tenuis 674
Oidiodendron 380; griseum 380; rhodogenum 380–385
Olpidiopsis 427–430; gracile 429; incrassata 105; myzocytia 429; oedogoniarum 425; pythii 429; saprolegniae 425; var. saprolegniae 429; schenkiana 429
Omphalia 252; chlorocyanea 510; luteicolor 509; rustica 511; smaragdina 510; umbellifera var. viridis 510; umbilicata 253; viridis 510
Omphalina chlorocyanea 510; luteicolor 509; rustica 511; umbellifera var. viridis 510
Oospora 187
Ophiobolus 168; graminis 602, 606
Ovularia pusilla 58
Oxydontia himantia 671; macrodon 670

Paecilomyces carneus 226, 228, 379–384; flavescens 187; marquandii 226, 380–384; puntonii 187–191; varioti 226
Palavascia beauforti 446
Panaeolus semiovatus 278, 287–291
Panus stipticus 415–421
Papularia sphaerosperma 187
Papulospora 380
Paxillus alexandri 501
Penicillium 168, 177, 223, 227, 380–384, 434, 476–479, 573–577, 659; aculeatum 185, 380, 478; adametzi 226, 478; albidum 478; asperum 478; atramentosum 478; aurantio-candidum 478; aurantio-violaceum 478; aurantio-

virens 478; avellaneum 478; biforme 478; brefeldianum 478; brevi-compactum 378–384, 478; camemberti 478; canescens 380, 478; capsulatum 478; caseicolum 478; charlesii 478; chermesinum 185, 478; chrysogenum 226, 407–413; citreo-viride 478; citrinum 185, 226, 478; claviforme 226, 478; commune 478; corymbiferum 185, 478; coryophilum 185, 226, 478; crustosum 380–384, 478; cyaneo-fulvum 478; cyclopium 185, 190, 226, 380, 382, 478; daleae 185, 478; decumbens 186, 226, 478; digitatum 186, 478; diversum 478; var. aureum 186; duclauxi 478; ehrlichii 186, 478; expansum 478; fellutanum 186, 478; frequentans 186, 190, 226, 380, 478; funiculosum 186, 223, 226, 380, 382; fuscum 186, 576; gladioli 478; godlewskii 478; granulatum 380; herquei 226, 380–384, 478; humuli 478; implicatum 186, 478; islandicum 478; italicum 478; janthinellum 186–191, 223, 226, 379–385, 478; javanicum 186, 226, 380, 478; jenseni 186, 226, 478; kapuscinskii 186, 380, 382; lanoso-coeruleum 478; lanoso-griseum 186, 478; lanosum 226, 478; lapidosum 186; lilacinum 186, 226, 380, 382, 478; lividum 186, 478; luteum 478; martensii 478; megasporum 577; meleagrinum 478; melinii 478, 576; miczynskii 380, 478; **montanense 574**–577; multicolor 186, 190, 226, 379–384, 478; nalgiovensis 478; namyslowskii 478; nigricans 186, 226, 478, 576; notatum 226; ochrochloron 380; olivino-viride 478; oxalicum 186, 226, 478; palidum 226; palitans 379–384; paxilli 186, 378–384; piscarium 380, 478; puberulum 380, 478; purpurogenum 227, 478; purpurrescens 478; pusillum 478; raciborskii 478; raistrickii 227, 380, 478; restrictum 223, 227, 380, 478, 576; rolfsii 186; roqueforti 318, 408, 478; roseo-purpureum 478; rubrum 227, 478; rugulosum 478; sclerotiorum 478; simplicissimum 227, 478; solitum 478; spiculisporum 186; spinulosum 186, 380, 478; steckii 186, 227, 379–382, 478; stoloniferum 478; tardum 478; terrestre 478; thomii 186, 227, 380–385, 478; trzebinskii 478; turbatum 227, 478; urticae 478; variabile 227, 380, 478; vermiculatum 227, 478; verruculosum 186, 227, 478; vinaceum 186; viridicatum 478; waksmani 227, 380, 478; wortmanni 186, 380, 478

Peniophora aspera 659

Peridermium cerebroides 682; cerebrum 682; filamentosum 679–683; giganteum 681; harknessii 679–682; mexicanum 682; pyriforme 681; stalactiforme 679

Peronospora crucianellae 311; tabacina 168, 640

Pestalotia 47; **avenae 47**; andropogonis 47; funerea 227; hordei-destruens 47; rhododendri 187; stictica 187, 190

Petersenia 422–430; irregulare 422, 429; lobata 422, 427, 429; pollagaster 422, 427–429; **utriculoba 422**–430

Peziza neglecta 26

Phacidium 14, 481–496; abietinellum 194–197, 482; **abietis 482**–493; balsameae 16, 29, 194, 395–397, 482, 493; convexum 22, 27, 495; expansum 30, 482, 491; infestans 22, 194, 197, 481–494; var. abietis 481–485, 494; pinicembrae 22; planum 21, 27, 482, 495; f. ponderosa 495; taxicolum 494

Phaeoseptoria 57; calamagrostidis 603; festucae 597, 602–605; var. andropogonis 45, 52–55; var. brachyphylla 54; var. festucae 53; var. muhlenbergiae 54; phalaridis 603

Phialea temulenta 202

Phialophora melinii 380

Phialophorophoma litoralis 380, 385

Phlebopus lignicola 319; sulphureus 319

Phlyctaena 380

Pholiota aeruginosa 283; albivelata 276, 290, 293; carbonaria 280, 289, 292

Phoma 227, 380, 434; glomerata 187, 190; hibernica 187

Phomopsis heteronema 9

Phragmidium 389; subg. Earlea 390; biloculare 391; brevipedicellatum 390; fragariae 390; guatemalense 390; horkeliae 391; itoanum 390; ivesiae ssp. ivesiae 390; ssp. **wyomingensis 389**, 391; laceianum 390; papillatum 390; potentilleae 390

Phragmonaevia gigaspora 22, 27

Phycomyces blakesleeanus 235–248, 432

Phyllosticta andropogonivora 45, 48; sorghina 49

Physarum gyrosum 580; polycephalum 85–87

Phytophthora 640; infestans 640

Pilaira 305

Pilobolus 305

Piptocephalis 305

Piricauda pelagica 187, 190

Piricularia 118–122; aquatica 122; oryzae 168; submersa 122

Plasmopara 309–311; **cruseae 309**–311

Pleospora 600; vagans 53, 604

Pleurotus 252; ulmarius 253

Podosporiella verticillata 58

Polycladium 120
Polyporus 342; conchifer 718; tulipiferae 668
Propolidium 21, 29
Propolis 13
Protogaster 720
Psathyrella sarcocephala 254
Pseudocercospora vitis 452
Pseudoeurotium indicum 186
Pseudofistulina 344; **brasiliensis** 343, **345**–351
Pseudogymnoascus roseus 380
Pseudoperonospora cubensis 640; humuli 640
Pseudopeziza 14, 25, 199; drabae 199; svalbardensis 199
Pseudorhytisma 199
Puccinia 24, 389; andropogonis 391; asteris 391; caricina 392; caricis-shepherdiae 392; circaeae 392; coronata 52, 54, 604, 608; graminis 168; poae-sudeticae 599–608; var. airae 608; recondita 59, 168, 608
Pullularia pullulans 227
Pyrenochaeta 380; decipiens 187
Pyrenopeziza 14, 200
Pyronema confluens 312; domesticum 312–316; omphalodes 312
Pythium 422–430, 640–645; aphanidermatum 640–645; arrhenomanes 641–644; debaryanum 640; graminicolum 642–644; intermedium 422–426; mammillatum 642–644; ultimum 642–645

Ramularia 322, 604; pusilla 58, 602–605
Reticulomyxa filosa 79
Rhabdocline 13–23; pseudotsugae 16–27
Rhabdogloeopsis 395; balsameae 395, 397
Rhinotrichum macrosporum 73–75
Rhizoctonia 187; solani 60, 76, 607, 642
Rhizophydium clinopus 694–696; pelagicum 695
Rhizopogon luteolus 70
Rhizopus arrhizus 223, 227; nigricans 185, 433; stolonifer 380
Rhizosiphon akinetum 701; anabaenae 701; crassum 701
Rhodotorula mucilaginosa 113; var. sanguinea 34
Rhynchosporium orthosporum 55, 605; secalis 55, 605
Rosellinia kellermanni 186; laminariana 186
Russula 111

Saccharomyces 411; cereviseae 114, 578–580
Saksenaea vasiformis 227
Saprolegnia 105, 422
Sarcotrochila 16–33, 481–496; alpina 16–29; **balsameae** 17–29, 197, 485–493; neglecta 26; **piniperda** 21, 24, **30**, 197, 486–491
Sarcotrochileae 29
Schizophyllum 720
Sclerotinia borealis 57
Sclerotium 187; bataticola 227; rolfsii 642
Scolecotrichum graminis 54, 604
Scytinostroma 673; **arachnoideum 660**–663; quaesitum 660
Secotium 98; gloriosum 99; lamellatum 101; lamingtonense 637; reticulatum 103; rodwayi 633; sessile 633; var. textum 638
Selenophoma bromigena 52, 594; donacis 55, 59, 601; var. donacis 602; var. stomaticola 59, 602–604; everhartii 52, 60, 600–603; obtusa 602
Septogloeum oxysporum 57, 604
Septoria 45; agrosticola 598; andropogonis 45, 50; archavaletae 46; arctica 597; avenae 50, 53, 598, 605; f. sp. triticea 51, 59, 604; bromi 51; calamagrostidis 50, 597; elymi 51; graminum 598; jaculella 598; laxa 46; mississippiensis 48; nodorum 51, 597–600; oudemansii 599; **panicivora** 45, **46**; passerinii 605; secalis var. stipae 600; streptopodis 321; tandilensis 46; tenella 50, 598–603; tritici 51
Setchelliogaster 99
Shanorella 165
Sordaria 434; brevicollis 561; destruens 186; fimicola 304
Spegazzinia ornata 227; tessarthra 187, 190
Speiropsis 119
Spermospora subulata 603
Sphaceloma 582
Sphaerella 64; badensis 608
Sphaeronema spinella 187
Spilopodia 199
Spiromastix 160–166; **warcupii 160**–166
Sporidesmium acerinum 128; glomerulosum 67; paludosum 187
Sporobolomyces 178
Sporormia minima 186
Sporotrichum 380, 382; peribebuyense 56; pruinosum 187; schenckii 472
Stachybotrys atra 227
Stagonospora 187; agrostidis f. angusta 598; arenaria 59; bromi 596; intermixta 53, 59, 596; mariae 596; simplicior 51, 597; subseriata 52, 597; vexatula 53
Stegia 25; alpina 29
Stegopeziza 25; lauri 25

Stegopezizella 15, 20, 395–399; balsameae 16, 20, 29, 395–399, 493
Stemphyliopsis 187
Stemphylium 227
Stictis 13; nivea 19; tsugae 21
Stigmina glomerulosa 62–67; juniperina 63–68
Stropharia ferrii 296; rugoso-annulata 280, 294–296; separata f. vernalis 290
Stysanus medius 227
Subramanella 5; **arecae 7**, 10
Syncephalastrum racemosum 227
Syncephalis 305
Synsporium 187

Taeniella carcini 446; longa 445
Tetrachaetum 119, 134; elegans 137, 140, 145
Tetracladium 119, 140; marchalianum 121, 136, 140–143; maxilliformis 140; setigerum 121, 140–143
Tetraploa ellisii 187
Tetraposporium 131
Thamnidium 308; elegans 73, 75
Tharoopama 187
Thecaphora 323; leptideum 324
Thelephora fastidiosa 665
Thielavia 217, 219; terricola 186, 223, 227
Thielaviopsis basicola 72
Tilachlidium 380
Tilletia controversa 109
Titaea 608; maxilliformis 140
Tolyposporium 323; leptideum 324
Tomentella 665, 669
Trechispora raduloides 667
Tricellula 119
Trichoderma 642; album 187; glaucum 187, 190; koningii 187, 190; lignorum 72, 187–191; viride 223, 227, 379–384
Tricholoma 250, 252; aurantio-olivaceum 278–297; nudum 250, 253; panaeolum 253
Trichosporium murinum 187
Trichothecium 120; polybrochum 120; roseum 72–75
Trichurus terrophilus 187
Tricladium 119, 134; angulatum 121, 135, 138; var. angulatum 138; var. oxyphilum 138; anomalum 135, 137; **eccentricum** 133, 135, **137**; gracile 123, 135, 139; **intermedium** 130, 134, **135**, 137, 145; splendens 121, 135–139
Tricoconis 168
Tridentaria setigera 140, 143
Tripterospora 186, 219
Triscelophorus 119, 131; **magnificus 127**, **132**; monosporus 121, 131–133
Trochila neglecta 26
Typhula 589; incarnata 48, 606

Uredo harmsiana 437; quercus 681
Uromyces 389; **crotalariae 437**–439; harmsianus 437; jacksonii 605; rudbeckiae 392; sommerfeltii 392
Uropyxis crotalariae 437
Ustilago tritici 245

Varicosporium 120; elodeae 131
Vermicularia holci 57
Verticillium 73, 380; candelabrum 187
Volucrispora 119
Volutella roseola 380
Volvaria 563; bingensis 564; bombycina var. palmicola 565; cinerea 569; cinerescens 569; cnemidophora 565; fuscidula 563, 566, 569; goossensiae 566; grisea 569; ilicicola 567; microchlamida 565, 567; murinella 569; palmicola 565; paraguayensis 570; platensis 571
Volvariella 563–572; alabamensis 565; argentina 563; **bingensis 564**; bombycina 567; var. flaviceps 565; var. **palmicola 565**; canalipes 565; cnemidophora 565–567; earlei 565; **fuscidula 566**; **goossensiae 566**; hypopithys 564; **nigrodisca 567**; **paraguayensis 570**; parvula 564; **pellucida 570**; **platensis 571**; pusilla 564, 571; speciosa 565, 567

Xerocomus 319; lignicola 320

Zelleromyces 635, 637; **majus 636**; **maliensis 636**; ravenelii 636; **stephansii 635**
Zygodesmus 187; fuscus 669
Zygorhynchus moelleri 185–191, 227

MYCOLOGIA

OFFICIAL ORGAN OF THE MYCOLOGICAL SOCIETY OF AMERICA

VOLUME LIV, 1962

CONSISTING OF VI + 741 PAGES,
INCLUDING FIGURES

LANCASTER PRESS, INC., LANCASTER, PA.

TABLE OF CONTENTS

No. 1. January–February

Henry A. C. Jackson, J. Walton Groves 1
Fruit rot of arecanut caused by a new fungus, H. C. Srivastava, Zakia Banu, and V. S. Govindarajan 5
A synopsis of the Hemiphacidiaceae, a family of the Helotiales (Discomycetes) causing needle-blights of conifers, Richard P. Korf 12
Studies on Calvatia gigantea. II. Factors affecting basidiospore germination, Glenn S. Bulmer and Everett S. Beneke 34
Some leafspot fungi on western Gramineae. XV, Roderick Sprague 44
Comparison of four similar fungi from Juniperus and related conifers, Charles S. Hodges 62
Growth inhibition of mycorrhizal fungi by gibberellin, Thomas Santoro and L. E. Casida, Jr. 70
A destructive mycoparasite, Gliocladium roseum, H. L. Barnett and V. G. Lilly 72
Some observations on plasmodia of the Trichiales, Sister Mary Annunciata McManus 78
Red stain of Acer negundo, Lekh R. Batra and Robert W. Lichtwardt 91
A new genus of the Secotiaceae, Alexander H. Smith and Derek A. Reid 98
Notes and Brief Articles 105

No. 2. March–April

Aquatic Hyphomycetes from North America. I. Aleuriosporae (Part I), and key to the genera, Ronald H. Petersen 117
Morphological studies in the Chaetomiaceae. II, W. C. Whiteside 152
A new genus of Gymnoascaceae, Harold H. Kuehn and G. F. Orr 160
Kansas aeromycology XII: Materials, methods, and general results of diurnal studies 1959–1960, S. M. Pady, C. L. Kramer, and B. J. Wiley 168
Some biological observations on fungi in estuarine sediments, Shira Y. Borut and T. W. Johnson, Jr. 181
Studies on the organisms associated with "snow-blight" of conifers in North America. I. A new genus of the Helotiales, James Reid and R. F. Cain 194
Susceptibility of Gramineae to Gloeotinia temulenta, John R. Hardison 201
A new genus of the Eurotiales, S. A. Lodhi and F. Mirza 217

No. 3. May–June

Fungi isolated from southern forest tree nursery soils, Charles S. Hodges ... 221
The fungi in cordaitean rootlets, Arthur A. Cridland 230

Effects of the alkali metal chlorides on spore germination, growth, and carotenogenesis of Phycomyces blakesleeanus, VIRGIL GREENE LILLY, H. L. BARNETT, AND R. F. KRAUSE 235
Patterns of polyacetylene production I. The diatretynes, MARJORIE ANCHEL, WILLIAM B. SILVERMAN, NALINI VALANJU, AND CLARK T. ROGERSON 249
Studies on a new Entomophthora attacking calyptrate flies, JAMES A. HUTCHISON 258
Pacific northwestern fungi. I, D. E. STUNTZ AND B. F. ISAACS 272
The vitamin requirements of two additional varieties of Gelasinospora, R. P. COLLINS AND R. D. HACKBARTH 299
A new species in the genus Chaetocladium, ROBERT W. EMBREE 305
A new species of Plasmopara on Crusea cruciata, CHARLES GARDNER SHAW AND K. M. SAFEEULLA 309
The ontogeny of the sclerotia of Pyronema domesticum, ELIZABETH J. MOORE .. 312
Notes and Brief Articles 317
Reviews 325

No. 4. JULY–AUGUST

Cercospora species on cucurbitaceous hosts in south India. II. Physiology and pathogenicity of four isolates, G. RANGASWAMI AND S. CHANDRASEKARAN 331
A new genus based on Fistulina brasiliensis, OSWALDO FIDALGO AND M. E. P. K. FIDALGO 342
Effect of environmental factors on spore germination, spore survival, and growth of Gloeosporium musarum, ROGER D. GOOS AND MARYLOU TSCHIRSCH 353
Liquid culture of two members of the higher fruiting myxobacteria, JAMES C. MCDONALD AND JOHN E. PETERSON 368
The soil microfungi of wet-mesic forests in southern Wisconsin, M. CHRISTENSEN, W. F. WHITTINGHAM, AND R. O. NOVAK 374
Notes on western rust fungi. II. Pucciniaceae, ROGER S. PETERSON 389
Stegopezizella balsameae and Gloeosporium balsameae, LEE BONAR 395
Two new species of Aspergillus from India, B. S. MEHROTRA AND V. P. AGNIHOTRI 400
Induction of xylose reductase in germinating spores of Penicillium chrysogenum, JOSEPH M. KORNFELD AND S. G. KNIGHT 407
Effects of monochromatic ultraviolet light on luminescence in Panus stipticus, MARTHA D. BERLINER AND PETER B. BRAND 415
A new species of Petersenia parasitic on Pythium, CHARLES E. MILLER 422
Viability of mold cultures stored at −20° C, J. W. CARMICHAEL 432
The status of the genus Haplopyxis (Uredinales), JOHN W. BAXTER 437
An Arundinula (Trichomycetes, Eccrinales) in a crayfish, ROBERT W. LICHTWARDT 440
Etiology of Cercospora leaf spot of Magnolia, CHARLES S. HODGES AND FRANK A. HAASIS 448
Reviews 455

No. 5. SEPTEMBER–OCTOBER

Victor Macomber Cutter, Jr., F. K. SPARROW 457
Index to species and varieties of fungi described by C. H. Peck from 1909 to 1915, ROBERT L. GILBERTSON 460
The passive cutaneous anaphylaxis (PCA) test in adiaspiromycosis, WILLIAM L. JELLISON, LILLIAN GLESNE, AND CORA OWEN 466
Penicillia that make N-formyl hydroxyaminoacetic acid, a new fungal product, EUGENE L. DULANEY AND REED A. GRAY 476
Studies on the organisms associated with "snow-blight" of conifers in North America. II. Some species of the genera Phacidium, Lophophacidium, Sarcotrichila, and Hemiphacidium, JAMES REID AND R. F. CAIN 481
Clitocybe species from the western United States, HOWARD E. BIGELOW AND ALEXANDER H. SMITH 498
Arcyria cinerea and A. pomiformis revised, MARIE L. FARR 516
Role of marine fungi in the biochemistry of the oceans. I. Establishment of quantitative technique for cultivation, growth measurement and production of inocula, PETER L. SGUROS, SAMUEL P. MEYERS, AND JACQUELINE SIMMS 521
A new Cercospora on Rhizophora mangle, DON B. CREAGER 536
Morphological and cytological observations on the mycelium of Coelomomyces, CLYDE J. UMPHLETT 540
A new species of Neurospora from Wisconsin lowland soil, S. E. GOCHENAUR AND M. P. BACKUS 555
Synonyms, new combinations, and new species in Volvariella (Agaricales), ROBERT L. SHAFFER 563
A new Penicillium from coniferous forest soils, MARTHA CHRISTENSEN AND M. P. BACKUS 573
Notes and Brief Articles 578

No. 6. NOVEMBER–DECEMBER

Roderick Sprague, 1901–1962, C. GARDNER SHAW 587
Some leafspot fungi on western Gramineae—XVI, RODERICK SPRAGUE 593
Morphological studies in the Chaetomiaceae. III, W. C. WHITESIDE 611
Studies on Calvatia gigantea. III. Antitumor substances produced by mycelium from germinated spores and parent basidiocarps, GLENN S. BULMER, EVERETT S. BENEKE, AND J. A. STEVENS 621
Notes on astrogastraceous fungi, ALEXANDER H. SMITH 626
Effect of streptomycin and pimaricin on growth and respiration of Pythium species, RICHARD B. HINE 640
Decomposition of chitin by Chytriomyces species, PATRICIA SULLIVAN REISERT AND M. S. FULLER 647
Resupinate hydnaceous fungi of North America. I. Type studies of species described by Peck, ROBERT L. GILBERTSON 658

Notes on western rust fungi. III. Cronartium, R. S. PETERSON 678
Studies on species of Conidiobolus from India—III, M. C. SRINIVASAN AND M. J. THIRUMALACHAR 685
Lacustrine chytridiaceous fungi from Maryland, R. A. PATERSON 694
Concerning the species, Achlya bisexualis, ALMA WHIFFEN BARKSDALE 704
Twenty years of nidulariology, HAROLD J. BRODIE 713
Reviews 727
Index 730